

Day : Thursday
 Date: 5/18/2006
 Time: 14:53:49

PALM INTRANET

Inventor Information for 10/702612

| Inventor Name | City | State/Country |
|------------------|------------|---------------|
| SUHARA, SHINSUKE | KARIYA-SHI | JAPAN |
| KODAMA, SEIGO | AMA-GUN | JAPAN |

[Appln Info](#)
[Contents](#)
[Petition Info](#)
[Atty/Agent Info](#)
[Continuity Data](#)
[Foreign Data](#)
[Inventors](#)

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

| | | | | | |
|-------------------------|----------|--|------------|---------------------------|-------------------------|
| US 20060085973 A1 | 20060427 | Substrate-related-operation performing apparatus, operation performing head for substrate-related-operation performing apparatus, substrate-related-operation performing system, and operation-performing-head-use preparing program | 29/740 | 29/739; 294/64.2; 700/900 | Kodama; Seigo et al. |
| US 20050128344 A1 | 20050616 | Image taking system, image-taking-system control program, and electric-component mounting system | 348/370 | | Suhara, Shinsuke et al. |
| US 20050036274 A1 | 20050217 | Component information applying method and apparatus | 361/600 | | Suhara, Shinsuke et al. |
| US 20040188642 A1 | 20040930 | Calibration method and device in electronic component mounting apparatus | 250/559.29 | 250/559.33 | Kodama, Seigo et al. |
| US | 20030626 | Electric- | 174/535 | | Suhara, |

| | | | | | |
|-------------------------|----------|---|---------|------------------------------|-------------------------|
| 20030116339 A1 | | component mounting system, and printed-circuit board fabricating process | | | Shinsuke |
| US 20030053300 A1 | 20030320 | Electric-component supplying apparatus and method | 361/760 | | Suhara, Shinsuke et al. |
| US 20030026065 A1 | 20030206 | Substrate holding device and electric-circuit fabricating process | 361/600 | | Suhara, Shinsuke |
| US 20030014862 A1 | 20030123 | Electric-component mounting method and system | 29/832 | 29/740; 29/743; 29/834 | Suhara, Shinsuke et al. |
| US 20020184755 A1 | 20021212 | Electric-component mounting system and method of detecting positioning error in the system | 29/833 | 29/739; 29/740; 29/834 | Suhara, Shinsuke |
| US 20020167801 A1 | 20021114 | Electric-component mounting system | 361/728 | | Suhara, Shinsuke et al. |
| US 20020154491 A1 | 20021024 | Printed-board supporting device, electric-component mounting system, and process of manufacturing printed-circuit | 361/752 | | Suhara, Shinsuke |

| | | board | | | |
|-------------------------|----------|---|---------|--------------------------|-------------------------|
| US 20020144422 A1 | 20021010 | Angular position adjusting device | 33/613 | 33/1PT | Suhara, Shinsuke et al. |
| US 20020141166 A1 | 20021003 | Fragile-board supporting method, circuit-board supporting device, and electric-circuit manufacturing method | 361/752 | | Suhara, Shinsuke |
| US 20020138974 A1 | 20021003 | Image taking system, image-taking-system control program, and electric-component mounting system | 29/740 | 29/833; 382/141; 382/151 | Suhara, Shinsuke et al. |
| US 20020133940 A1 | 20020926 | Electric-component supplying method and device, and electric-component mounting method and system | 29/832 | 29/740; 29/771 | Kadomatsu, Sumio et al. |
| US 20020124393 A1 | 20020912 | Electric-component mounting system | 29/740 | 29/743 | Suhara, Shinsuke et al. |
| US 20020124391 A1 | 20020912 | Apparatus for assisting operator in performing manual operations in connection with | 29/739 | 29/740; 29/834 | Kawai, Takayoshi et al. |

| | | | | | |
|-------------------------|----------|---|------------|------------------------------|----------------------------|
| | | component feeders | | | |
| US 20020083579 A1 | 20020704 | Electric-component mounting system and method | 29/739 | 29/593; 29/743; 29/833 | Suhara, Shinsuke et al. |
| US 20020053133 A1 | 20020509 | Electric-component mounting apparatus | 29/700 | | Suhara, Shinsuke et al. |
| US 20020029468 A1 | 20020314 | Method of supplying electric component, and electric-component mounting system | 29/832 | 29/740; 29/743; 29/834 | Koike, Hirokazu et al. |
| US 20020027207 A1 | 20020307 | Suction nozzle, and electric-component-position detecting apparatus | 250/559.29 | | Suhara, Shinsuke et al. |
| US 20020014003 A1 | 20020207 | Method and system for mounting electric components | 29/740 | 29/739; 29/832; 29/833 | Asai, Koichi et al. |
| US 20020000359 A1 | 20020103 | Circuit-substrate-related-operation performing system | 198/346.2 | | Asai, Koichi et al. |
| US 20010047586 A1 | 20011206 | Electric-component mounting method, electric-component treating method, and electric- | 29/833 | 29/740 | Kawai, Takayoshi et al. |

| | | | | | |
|-------------------------|----------|---|----------|------------------------------|------------------------|
| | | component mounting apparatus | | | |
| US 20010047581 A1 | 20011206 | Electric-component mounting apparatus and electric-component mounting system | 29/740 | 29/743; 294/68.2 | Suhara, Shinsuke |
| US 20010037564 A1 | 20011108 | Circuit component mounting system and circuit component mounting method | 29/832 | 29/740; 29/742; 29/836 | Asai, Koichi et al. |
| US 20010035659 A1 | 20011101 | Electric-component holding head | 294/64.1 | | Suhara, Shinsuke |
| US 20010025413 A1 | 20011004 | Circuit-component mounting method and circuit-component mounting system | 29/832 | 29/593; 29/833 | Asai, Koichi et al. |
| US 20010018798 A1 | 20010906 | Circuit-component supplying apparatus, feeder, and circuit-component supplying method | 29/832 | 29/740; 414/222.01 | Asai, Koichi et al. |
| US 20010002509 A1 | 20010607 | Electric-component supplying method and apparatus and electric-component | 29/834 | 29/740; 29/832 | Suhara, Shinsuke |

| | | mounting apparatus | | | |
|---------------|----------|---|------------|---|-------------------------|
| US 7102148 B2 | 20060905 | Calibration method and device in electronic component mounting apparatus | 250/559.44 | 250/559.3; 29/833; 348/87; 700/121 | Kodama; Seigo et al. |
| US 7043824 B2 | 20060516 | Electric-component mounting system | 29/740 | 211/1.51; 211/1.52; 248/200; 248/300; 29/741; 29/742; 29/759; 29/831; 29/832; 361/728 | Suhara; Shinsuke et al. |
| US 7043820 B2 | 20060516 | Electric-component mounting system | 29/564.1 | 29/739; 29/740; 29/741; 29/742; 29/743 | Suhara; Shinsuke |
| US 6958917 B2 | 20051025 | Substrate holding device and electric-circuit fabricating process | 361/801 | 361/740; 361/741; 361/747; 361/759; 361/802 | Suhara; Shinsuke |
| US 6952869 B2 | 20051011 | Electric-component mounting system for mounting electric component on a circuit substrate | 29/740 | 29/720; 29/739; 29/832; 29/833 | Suhara; Shinsuke et al. |
| US 6941646 B2 | 20050913 | Electric-component mounting system | 29/740 | 29/739; 29/759 | Suhara; Shinsuke |
| US 6931716 B2 | 20050823 | Electric-component mounting | 29/740 | 29/720; 29/721; 29/741; | Suhara; Shinsuke et al. |

| | | | | | |
|------------------|----------|---|----------|---|----------------------------|
| | | system | | 29/833; 29/DIG.44; 382/141 | |
| US 6918730 B2 | 20050719 | Apparatus for assisting operator in performing manual operations in connection with component feeders | 414/183 | 414/278; 414/937 | Kawai; Takayoshi et al. |
| US 6870745 B2 | 20050322 | Printed-board supporting device, electric-component mounting system, and process of manufacturing printed-circuit board | 361/807 | 29/740; 29/741; 29/744; 361/720; 361/760; 361/803 | Suhara; Shinsuke |
| US 6864431 B2 | 20050308 | Fragile-board supporting method, circuit-board supporting device, and electric-circuit manufacturing method | 174/138D | 29/760; 29/762; 361/742; 361/770; 361/807 | Suhara; Shinsuke |
| US 6807725 B2 | 20041026 | System for mounting of electric components | 29/740 | 29/720; 29/739; 29/832; 29/834 | Asai; Koichi et al. |
| US 6769172 B2 | 20040803 | Electric-component mounting system | 29/740 | 29/721; 29/741; 29/742; 29/743; 29/832; 29/833; 29/DIG.44; 414/737 | Suhara; Shinsuke et al. |
| US 6739036 | 20040525 | Electric- | 29/743 | 29/720; | Koike; |

| | | | | | |
|---------------|----------|---|------------|--|-------------------------|
| B2 | | component mounting system | | 29/721; 29/740; 29/741; 29/742; 29/833; 29/834; 29/DIG.44; 294/64.1; 414/737; 901/47 | Hirokazu et al. |
| US 6688016 B2 | 20040210 | Angular position adjusting device | 33/613 | 269/153; 33/1M; 33/1PT; 33/618; 33/626; 33/642; 33/645; 33/832; 33/833 | Suhara; Shinsuke et al. |
| US 6665928 B2 | 20031223 | Method for mounting electric components with a mounting device | 29/834 | 226/110; 226/139; 29/426.3; 29/740; 29/741; 29/743; 29/832; 29/833; 414/403 | Suhara; Shinsuke |
| US 6662438 B2 | 20031216 | Electric-component mounting apparatus | 29/743 | 29/721; 29/739; 29/740; 29/741; 29/DIG.44; 414/737 | Suhara; Shinsuke et al. |
| US 6649926 B2 | 20031118 | Suction nozzle, and electric-component-position detecting apparatus | 250/559.29 | 250/559.4; 414/752.1 | Suhara; Shinsuke et al. |
| US 6643921 B2 | 20031111 | Circuit-component mounting method and circuit- | 29/833 | 29/740; 29/759; 29/832 | Asai; Koichi et al. |

| | | | | | |
|---------------|----------|---|-----------|--|-------------------------|
| | | component mounting system | | | |
| US 6629364 B2 | 20031007 | Method of supplying circuit components using a feeder | 29/832 | 29/740; 29/834 | Asai; Koichi et al. |
| US 6625877 B1 | 20030930 | Apparatus for supporting electric-component mounter | 29/740 | 248/638; 29/705; 29/739 | Suhara; Shinsuke et al. |
| US 6527322 B2 | 20030304 | Electric-component holding head | 294/64.1 | 29/743; 901/40 | Suhara; Shinsuke |
| US 6507997 B2 | 20030121 | Electric-component mounting method, electric-component treating method, and electric-component mounting apparatus | 29/833 | 29/721; 29/740; 29/743 | Kawai; Takayoshi et al. |
| US 6491250 B1 | 20021210 | Rotary-type circuit-component supplying apparatus | 242/559.1 | 242/558; 242/559.2; 242/566; 29/740; 414/223.01; 414/403 | Asai; Koichi et al. |
| US 6437333 B1 | 20020820 | Holding apparatus, transferring apparatus, image taking system, and image taking method | 250/341.1 | 250/341.7 | Suhara; Shinsuke et al. |
| US 6409159 B1 | 20020625 | Method of supporting printed circuit board and | 267/152 | 248/636; 248/638; 267/136; 361/600; | Asai; Koichi et al. |

| | | | | | |
|---------------|----------|--|-----------|---|-------------------------|
| | | method of mounting electric components | | 361/736; 361/748; 361/767; 361/807 | |
| US 6382390 B1 | 20020507 | Electronic-component supplying apparatus and method | 198/346.1 | 198/349.6; 414/806 | Asai; Koichi et al. |
| US 6380537 B1 | 20020430 | Holding head | 250/239 | 250/208.1 | Suhara; Shinsuke et al. |
| US 6378198 B1 | 20020430 | Circuit-substrate-related-operation performing system | 29/825 | 198/346.2; 198/369.1; 198/447; 198/817 | Asai; Koichi et al. |
| US 6336548 B1 | 20020108 | Apparatus for positioning electronic component holder head and apparatus for transferring electronic component | 198/468.4 | 198/468.2; 198/476.1; 198/477.1; 198/803.5 | Asai; Koichi et al. |
| US 6332387 B1 | 20011225 | Cover-tape treating method and apparatus and electric-component supplying unit | 83/100 | 221/25; 83/102; 83/694 | Suhara; Shinsuke |
| US 6327776 B1 | 20011211 | Circuit component mounting system and circuit component mounting method | 29/832 | 29/830; 29/831; 29/839; 29/842; 29/846 | Suhara; Shinsuke |
| US 6317972 B1 | 20011120 | Method for mounting and inspecting the | 29/833 | 29/407.04; 29/720; 29/740; | Asai; Koichi et al. |

| | | | | | |
|---------------|----------|--|-----------|--|---------------------|
| | | mounting of electric components | | 29/832 | |
| US 6286202 B1 | 20010911 | System for mounting a plurality of circuit components on a circuit substrate | 29/740 | 29/593; 29/832; 29/833 | Asai; Koichi et al. |
| US 6272737 B1 | 20010814 | Circuit component mounting system | 29/740 | 198/369.1; 198/890.1; 29/739; 29/742; 29/783; 29/786; 29/791; 29/793; 29/794; 29/822; 29/832; 29/834 | Asai; Koichi et al. |
| US 6260260 B1 | 20010717 | Apparatus for supplying electronic components to a circuit board manufacturing apparatus | 29/740 | 226/110; 226/139; 29/426.3; 29/429; 29/741; 29/743; 29/832 | Suhara; Shinsuke |
| US 6256870 B1 | 20010710 | Circuit-component supplying apparatus having a vibration-resistant feeder | 29/740 | 29/739; 29/741; 29/743; 29/832; 29/DIG.44 | Asai; Koichi et al. |
| US 6189206 B1 | 20010220 | Rotary-type circuit-component supplying apparatus | 29/740 | 104/35; 29/714; 414/223.01; 414/403 | Asai; Koichi et al. |
| US 6170633 B1 | 20010109 | Electronic-component supplying | 198/346.1 | 198/348; 198/349.6 | Asai; Koichi et al. |

| | | apparatus and method | | | |
|---------------|----------|--|------------|--|-------------------------|
| US 6168009 B1 | 20010102 | Apparatus for positioning electronic component holder head and apparatus for transferring electronic component | 198/468.4 | 198/468.2; 198/476.1; 198/477.1; 198/803.5 | Asai; Koichi et al. |
| US 6161811 A | 20001219 | Apparatus for supporting electric-component mounter | 248/638 | 248/568; 248/636 | Suhara; Shinsuke et al. |
| US 6161277 A | 20001219 | Circuit-component mounting system | 29/740 | 198/586; 29/741; 29/832 | Asai; Koichi et al. |
| US 6108900 A | 20000829 | Circuit component mounting system | 29/739 | 29/711; 29/740; 29/741; 29/743 | Suhara; Shinsuke |
| US 6085893 A | 20000711 | Circuit-component transferring apparatus | 198/377.08 | 198/471.1; 198/803.5 | Asai; Koichi et al. |
| US 6073342 A | 20000613 | Circuit-substrate-related-operation performing system | 29/740 | 198/586; 29/759 | Asai; Koichi et al. |
| US 6047874 A | 20000411 | Method and system for supplying circuit components | 226/110 | 242/594.2; 242/615.21; 29/740 | Asai; Koichi et al. |
| US 6000523 A | 19991214 | Circuit-component transferring apparatus | 198/377.08 | 198/378; 198/471.1; 29/740 | Asai; Koichi et al. |
| US 5988353 A | 19991123 | Circuit-component | 198/468.4 | | Asai; Koichi et al. |

| | | | | | |
|--------------|----------|--|---------|----------------------------------|---------------------|
| | | transferring apparatus | | | |
| US 5294035 A | 19940315 | Ratchet device having a stopper member for preventing excessive rotation of ratchet wheel, and tape feeding apparatus using the ratchet device | 226/157 | 74/128; 74/142; 74/577M; 74/577S | Asai; Koichi et al. |